

XOANONS® Fluorocarbon modified polyacrylate leveling agent

Model number

XOANONS®WE-D8776BR

Composition

Fluorocarbon modified polyacrylate copolymer solution

Specifications

Model number	Appearance	Solvent	Density(g/ml) (25±1)°C	Viscosity(s) (25±0.2)°C	Active content (%)	Flash point(°C)
XOANONS® WE-D8776BR	Slight yellowish clear liquid	Propylene glycol butyl ether	0.91-0.95	6-30 (T-4 viscometer)	50	>70

Application system

Solvent based coating/paint

Suggested addition

Model number	Addition to total formulation%
XOANONS®WE-D8776BR	0.2-0.8

Incorporation

The additives can be incorporated during any stage of the production process, including post-addition.

Application recommendation

Model number	A	B	C	D	E
XOANONS®WE-D8776BR	0	5	4	4	4

A=Transparency in varnish; B=Anti-orange wave ability; C=Defoaming;

D=Dynamic surface tension; E=Static surface tension.

0=unavailable 5=very effective

Property and advantage

Model number	Property and advantage
XOANONS® WE-D8776BR	Excellent defoaming and foam-inhibition. Good performances of anti-cratering ability and high leveling speed. Providing long-wave leveling and prevent anti-orange-peel.

Package

This information is given to the best of our knowledge. Because of the multitude of formulations, production, and application conditions, all the above mentioned statements have to be adjusted to the circumstances of the processor.



25KG 180KG

The container should be closed tightly before completely use up.

Storage

Should store in cool and dry place.

Can keep intact 24 months in original package.